

CERTIFICATE OF COMPLIANCE

Certificate Number 20190723-E358301
Report Reference E358301-20130408
Issue Date 2019-JULY-23

Issued to: BASOR ELECTRIC SA
P I ALCODAR
AVDA ALCODAR, 45-47
46701 GANDIA SPAIN

This certificate confirms that CABLE TRAYS
representative samples of See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: Sections 392.60(A) and 392.60(B) of NFPA 70 NATIONAL
ELECTRICAL CODE WITH AMD 1 - 5
NEMA VE 1, the Standard for Metal Cable Tray Systems
and CSA C22.2 NO. 126.1-09, the Standard for METAL
CABLE TRAY SYSTEMS

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up
Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's
Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190723-E358301
Report Reference E358301-20130408
Issue Date 2019-JULY-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cable Trays, Wire Mesh Type, Cat. Nos. BFR-4"X1 1/2" EZ, BFR-6"X1 1/2" EZ, BFR-8"X1 1/2" EZ, BFR-12"X1 1/2" EZ, BFR-2"X2" EZ, BFR-4"X2" EZ, BFR-6"X2" EZ, BFR-8"X2" EZ, BFR-12"X2" EZ, BFR-16"X2" EZ, BFR-20"X2" EZ, BFR-24"X2" EZ, BFR-8"X4" EZ, BFR-12"X4" EZ, BFR-16"X4" EZ, BFR-20"X4" EZ, BFR-24"X4" EZ, BFR- 4"X1 1/2" HDG, BFR-6"X1 1/2" HDG, BFR-8"X1 1/2" HDG, BFR-12"X1 1/2" HDG, BFR-2"X2" HDG, BFR-4"X2" HDG, BFR-6"X2" HDG, BFR-8"X2" HDG, BFR-12"X2" HDG, BFR-16"X2" HDG, BFR-20"X2" HDG, BFR-24"X2" HDG, BFR-8"X4" HDG, BFR-12"X4" HDG, BFR-16"X4" HDG, BFR-20"X4" HDG, BFR-24"X4" HDG, BFR-4"X1 1/2" ST304L, BFR-6"X1 1/2" ST304L, BFR-8"X1 1/2" ST304L, BFR-12"X1 1/2" ST304L, BFR-2"X2" ST304L, BFR-4"X2" ST304L, BFR-6"X2" ST304L, BFR-8"X2" ST304L, BFR-12"X2" ST304L, BFR-16"X2" ST304L, BFR-20"X2" ST304L, BFR-24"X2" ST304L, BFR-8"X4" ST304L, BFR-12"X4" ST304L, BFR-16"X4" ST304L, BFR-20"X4" ST304L, BFR-24"X4" ST304L, E-BFR-4"X2" EZ, E-BFR-6"X2" EZ, E-BFR-8"X2" EZ, E-BFR-12"X2" EZ, E-BFR-16"X2" EZ, E-BFR-20"X2" EZ, E-BFR-24"X2" EZ, E-BFR-8"X4" EZ, E-BFR-12"X4" EZ, E-BFR-16"X4" EZ, E-BFR-20"X4" EZ, E-BFR-24"X4" EZ, E-BFR-4"X2" HDG, E-BFR-6"X2" HDG, E-BFR-8"X2" HDG, E-BFR-12"X2" HDG, E-BFR-16"X2" HDG, E-BFR-20"X2" HDG, E-BFR-24"X2" HDG, E-BFR-8"X4" HDG, E-BFR-12"X4" HDG, E-BFR-16"X4" HDG, E-BFR-20"X4" HDG, E-BFR-24"X4" HDG, E-BFR-4"X2" ST304L, E-BFR-6"X2" ST304L, E-BFR-8"X2" ST304L, E-BFR-12"X2" ST304L, E-BFR-16"X2" ST304L, E-BFR-20"X2" ST304L, E-BFR-24"X2" ST304L, E-BFR-8"X4" ST304L, E-BFR-12"X4" ST304L, E-BFR-16"X4" ST304L, E-BFR-20"X4" ST304L, E-BFR-24"X4" ST304L, BF2R-2"X2" EZ, BF2R-4"X2" EZ, BF2R-6"X2" EZ, BF2R-8"X2" EZ, BF2R-12"X2" EZ, BF2R-16"X2" EZ, BF2R-20"X2" EZ, BF2R-24"X2" EZ, BF2R-8"X4" EZ, BF2R-12"X4" EZ, BF2R-16"X4" EZ, BF2R-20"X4" EZ, BF2R-24"X4" EZ, BF2R-4"X2" HDG, BF2R-6"X2" HDG, BF2R-8"X2" HDG, BF2R-12"X2" HDG, BF2R-16"X2" HDG, BF2R-20"X2" HDG, BF2R-24"X2" HDG, BF2R-8"X4" HDG, BF2R-12"X4" HDG, BF2R-16"X4" HDG, BF2R-20"X4" HDG, BF2R-24"X4" HDG, BF2R-2"X2" ST304L, BF2R-4"X2" ST304L, BF2R-6"X2" ST304L, BF2R-8"X2" ST304L, BF2R-12"X2" ST304L, BF2R-16"X2" ST304L, BF2R-20"X2" ST304L, BF2R-24"X2" ST304L, BF2R-8"X4" ST304L, BF2R-12"X4" ST304L, BF2R-16"X4" ST304L, BF2R-20"X4" ST304L, BF2R-24"X4" ST304L, BFR-4"X1 1/2" ST316L, BFR-6"X1 1/2" ST316L, BFR-8"X1 1/2" ST316L, BFR-12"X1 1/2" ST316L, BFR-2"X2" ST316L, BFR-4"X2" ST316L, BFR-6"X2" ST316L, BFR-8"X2" ST316L, BFR-12"X2" ST316L, BFR-16"X2" ST316L, BFR-20"X2" ST316L, BFR-24"X2" ST316L, BFR-8"X4" ST316L, BFR-12"X4" ST316L, BFR-16"X4" ST316L, BFR-20"X4" ST316L, BFR-24"X4" ST316L, E-BFR-4"X2" ST316L, E-BFR-6"X2" ST316L, E-BFR-8"X2" ST316L, E-BFR-12"X2" ST316L, E-BFR-16"X2" ST316L, E-BFR-20"X2" ST316L, E-BFR-24"X2" ST316L, E-BFR-8"X4" ST316L, E-BFR-12"X4" ST316L, E-BFR-16"X4" ST316L, E-BFR-20"X4" ST316L, E-BFR-24"X4" ST316L, BF2R-2"X2" ST316L, BF2R-4"X2" ST316L, BF2R-6"X2" ST316L, BF2R-8"X2" ST316L, BF2R-12"X2" ST316L, BF2R-16"X2" ST316L, BF2R-20"X2" ST316L, BF2R-24"X2" ST316L, BF2R-8"X4" ST316L, BF2R-12"X4" ST316L, BF2R-16"X4" ST316L, BF2R-20"X4" ST316L, BF2R-24"X4" ST316L, BFR-100X35 EZ, BFR-150X35 EZ, BFR-200X35 EZ, BFR-300X35 EZ, BFR-60X65 EZ, BFR-100X65 EZ, BFR-150X65 EZ, BFR-200X65 EZ, BFR-300X65 EZ, BFR-400X65 EZ, BFR-500X65 EZ, BFR-600X65 EZ, BFR-200X105 EZ, BFR-300X105 EZ, BFR-400X105 EZ, BFR-500X105 EZ, BFR-600X105 EZ, BFR-100X35 HDG, BFR-150X35 HDG, BFR-200X35 HDG, BFR-300X35 HDG, BFR-60X65 HDG, BFR-100X65 HDG, BFR-150X65 HDG, BFR-

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190723-E358301
Report Reference E358301-20130408
Issue Date 2019-JULY-23

200X65 HDG, BFR-300X65 HDG, BFR-400X65 HDG, BFR-500X65 HDG, BFR-600X65 HDG, BFR-200X105 HDG, BFR-300X105 HDG, BFR-400X105 HDG, BFR-500X105 HDG, BFR-600X105 HDG, BFR-100X35 ST304L, BFR-150X35 ST304L, BFR-200X35 ST304L, BFR-300X35 ST304L, BFR-60X65 ST304L, BFR-100X65 ST304L, BFR-150X65 ST304L, BFR-200X65 ST304L, BFR-300X65 ST304L, BFR-400X65 ST304L, BFR-500X65 ST304L, BFR-600X65 ST304L, BFR-200X105 ST304L, BFR-300X105 ST304L, BFR-400X105 ST304L, BFR-500X105 ST304L, BFR-600X105 ST304L, E-BFR-100X65 EZ, E-BFR-150X65 EZ, E-BFR-200X65 EZ, E-BFR-300X65 EZ, E-BFR-400X65 EZ, E-BFR-500X65 EZ, E-BFR-600X65 EZ, E-BFR-200X105 EZ, E-BFR-300X105 EZ, E-BFR-400X105 EZ, E-BFR-500X105 EZ, E-BFR-600X105 EZ, BFR-100X35 ST316L, BFR-150X35 ST316L, BFR-200X35 ST316L, BFR-300X35 ST316L, BFR-60X65 ST316L, BFR-100X65 ST316L, BFR-150X65 ST316L, BFR-200X65 ST316L, BFR-300X65 ST316L, BFR-400X65 ST316L, BFR-500X65 ST316L, BFR-600X65 ST316L, BFR-200X105 ST316L, BFR-300X105 ST316L, BFR-400X105 ST316L, BFR-500X105 ST316L, BFR-600X105 ST316L, E-BFR-100X65 ST316L, E-BFR-150X65 ST316L, E-BFR-200X65 ST316L, E-BFR-300X65 ST316L, E-BFR-400X65 ST316L, E-BFR-500X65 ST316L, E-BFR-600X65 ST316L, E-BFR-200X105 ST316L, E-BFR-300X105 ST316L, E-BFR-400X105 ST316L, E-BFR-500X105 ST316L, E-BFR-600X105 ST316L, BF2R-60x65 ST316L, BF2R-100X65 ST316L, BF2R-150X65 ST316L, BF2R-200X65 ST316L, BF2R-300X65 ST316L, BF2R-400x65 ST316L, BF2R-500x65 ST316L, BF2R-600x65 ST316L, BF2R-200x105 ST316L, BF2R-300x105 ST316L, BF2R-400x105 ST316L, BF2R-500x105 ST316L, BF2R-600x105 ST316L.

Cat. Nos. BFR-100X105, BFR-200x150, BFR-300x150, BFR-400x150, BFR-450x150, BFR-500x150, BFR-600x150, BFR-450X105, BFR-450X65, BFR-700X65, BFR-700X105, BFR-700X155, BFR-750X65, BFR-750X105, BFR-750X155, BFR-800X65, BFR-800X105, BFR-800X155, BFR-900X65, BFR-900X105, BFR-900X155, E-BFR-100X105, E-BFR-200x150, E-BFR-300x150, E-BFR-400x150, E-BFR-450x150, E-BFR-500x150, E-BFR-600x150, E-BFR-450X105, E-BFR-450X65, BF2R-100X105, BF2R-450X105, BF2R-450X65 followed by suffix EZ, HDG, ST304L, ST316L

Cat. Nos. BF2R-100X105 EZ, BF2R-100X105 HDG, BF2R-150X105 EZ, BF2R-150X105 HDG

Cat. Nos. BFR-4"x4", BFR-6"x4", BFR-8"x6", BFR-12"x6", BFR-16"x6", BFR-18"x2", BFR-18"x4", BFR-18"x6", BFR-20"x6", BFR-24"x6", BFR-28"x2", BFR-28"x4", BFR-28"x6", BFR-30"x2", BFR-30"x4", BFR-30"x6", BFR-32"x2", BFR-32"x4", BFR-32"x6", BFR-36"x2", BFR-36"x4", BFR-36"x6", E-BFR-4"x4", E-BFR-8"x6", E-BFR-12"x6", E-BFR-16"x6", E-BFR-18"x6", E-BFR-20"x6", E-BFR-24"x6", E-BFR-18"x4", E-BFR-18"x2", E-BFR-30"x2", E-BFR-32"x2", E-BFR-6"x4", E-BFR-30"x4", BF2R-4"x4", BF2R-18"x4", BF2R-18"x2", BF2R-30"x2", BF2R-32"x2", BF2R-6"x4", BF2R-30"x4" followed by suffix EZ, HDG, ST304L, ST316L

Cat. Nos. BF2R-4"x4" EZ, BF2R-6"x4" EZ, BF2R-4"x4" HDG, BF2R6"x4" HDG

E-BFR-100X65 HDG, E-BFR-150X65 HDG, E-BFR-200X65 HDG, E-BFR-300X65 HDG, E-BFR-400X65 HDG, E-BFR-500X65 HDG, E-BFR-600X65 HDG, E-BFR-200X105 HDG, E-BFR-300X105 HDG, E-BFR-400X105 HDG, E-BFR-500X105 HDG, E-BFR-600X105 HDG, E-BFR-100X65 ST304L, E-BFR-150X65 ST304L, E-BFR-200X65 ST304L, E-BFR-300X65 ST304L, E-BFR-400X65 ST304L, E-BFR-500X65 ST304L, E-BFR-600X65 ST304L, E-BFR-200X105 ST304L, E-BFR-300X105 ST304L, E-

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190723-E358301
Report Reference E358301-20130408
Issue Date 2019-JULY-23

BFR-400X105 ST304L, E-BFR-500X105 ST304L, E-BFR-600X105 ST304L, BF2R-60x65 EZ, BF2R-100X65 EZ, BF2R-150X65 EZ, BF2R-200X65 EZ, BF2R-300X65 EZ, BF2R-400x65 EZ, BF2R-500x65 EZ, BF2R-600x65 EZ, BF2R-200x105 EZ, BF2R-300x105 EZ, BF2R-400x105 EZ, BF2R-500x105 EZ, BF2R-600x105 EZ, BF2R-60x65 HDG, BF2R-100X65 HDG, BF2R-150X65 HDG, BF2R-200X65 HDG, BF2R-300X65 HDG, BF2R-400x65 HDG, BF2R-500x65 HDG, BF2R-600x65 HDG, BF2R-200x105 HDG, BF2R-300x105 HDG, BF2R-400x105 HDG, BF2R-500x105 HDG, BF2R-600x105 HDG, BF2R-100X65 ST304L, BF2R-150X65 ST304L, BF2R-200X65 ST304L, BF2R-300X65 ST304L, BF2R-400x65 ST304L, BF2R-500x65 ST304L, BF2R-600x65 ST304L, BF2R-200x105 ST304L, BF2R-300x105 ST304L, BF2R-400x105 ST304L, BF2R-500x105 ST304L, BF2R-600x105 ST304L.

Accessories

Covers, Cat. Nos. Cover ERE for Metallic Cable Tray 100, -150, -200, -300, -400, -500, -600

Dividers, Cat. Nos. PS35, -60, -80, -100

Drop-Out Plate, Cat. Nos. BF/BFR Drop-Out Plate

Connectors, Cat. Nos. Quick Joint, BF Bolt-Staple Set, Lateral Union Set, ULA 65/105

Bonding Jumper, Cat. No. Ground Connection



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

